TexteelTwin® Plus-Cover Mooring

Always on top: The inexpensive entry into the TexteelTwin® class with excellent performance characteristics, yet buoyant and robust.



Maximum performance

Strength-optimised core with minimal elongation and made of pure Texteel® fibres



Reliability

Extremely tried-and-tested buoyant design with a strong protective cover made of Plus yarn for long service life



Cost-effectiveness

Texteel® = HMPE power in certified Gleistein quality to provide outstanding value for money

Diameter

18 mm - 76 mm Ø





Technical data

Elongation at 10% of the breaking load: 0.60 %

Ø [mm]	Weight [kg/100 m]	BI. real in splice [kN]	Bl. linear DIN according to EN ISO 2307 [kN]
18 mm Ø	12.80	125.00	139.00
20 mm Ø	19.50	210.00	233.00
22 mm Ø	25.10	270.00	300.00
24 mm Ø	31.00	335.00	372.00
28 mm Ø	39.90	420.00	467.00
32 mm Ø	46.60	490.00	544.00
34 mm Ø	55.00	560.00	622.00
36 mm Ø	63.30	670.00	744.00
38 mm Ø	69.80	735.00	817.00
40 mm Ø	79.50	830.00	922.00
42 mm Ø	89.70	940.00	1,044.00
44 mm Ø	97.80	1,040.00	1,156.00
48 mm Ø	112.40	1,135.00	1,261.00
50 mm Ø	119.50	1,230.00	1,367.00
52 mm Ø	131.50	1,360.00	1,511.00
54 mm Ø	141.00	1,485.00	1,650.00
56 mm Ø	158.50	1,610.00	1,789.00
62 mm Ø	168.00	1,740.00	1,933.00
64 mm Ø	187.60	1,860.00	2,067.00
68 mm Ø	197.20	1,980.00	2,200.00
70 mm Ø	206.70	2,100.00	2,333.00
72 mm Ø	237.70	2,340.00	2,600.00
74 mm Ø	247.30	2,455.00	2,728.00
76 mm Ø	269.70	2,575.00	2,861.00



